

Epoca Classic Modular / 350

Product description



Product description	Methods	Product data
Construction		
Structure	ISO 2424	Tufted loop pile
Gauge	ISO 2424	1/10
Pile material	DIR 96/73, 96/74	100% Polyamide
Fibre	Brand owner's	
Coloration	-	Continue
Backing	eTL	Ecotrust 350, 100% Recycled
Dimensions	CEN/TS 14159	48x48/96x96 cm
Dimensional stability	EN 986	<0,2%
Total thickness	ISO 1765	Ca. 7,0 mm.
Surface pile thickness	ISO 1766	Ca. 3,0 mm.
Tufts	ISO 1763	Ca. 153.000 pr. m2
Total carpet weight	ISO 8543	Ca. 3.300 g/m2
Pile yarn weight	eTL	725 g/m2
Surface pile density	ISO 8543	Ca. 0,140 g/cm3
ege soil protection	eTL	Yes

Performance ratings

Performance areas	EN 1307	33 Commercial - Heavy
	eTL	Contract certifikat
Performance areas	Gulvbranchen	Klasse 33
Suitable for castor chairs	EN 985	Yes, constant use
Suitable for stairs	EN 1963	Yes
Static control	eTL	Permanently antistatic
Body walking test	ISO 6356	Antistatic
Acou.insu. from impact noise	EN ISO 717-2	28 dB
Acoustical absorption	ISO 354	0,25 aW
	Sound absorption class	E
Suitable for heated floors	ISO 8302	Yes
Light reflectance	eTL	Testreport
Colour fastness to light	ISO 105-B02	>5
Colour fastness to rubbing wet	EN ISO 105-X12	3
Colour fastness to rubbing dry	EN ISO 105-X12	3-4
Colourfast. to water patterned	EN ISO 105-E01	4

Safety & Environment

CE Labeling	Slip resistance EN 13893	Class DS
	EN 14041	Certified
EC Certificate	EN 14041	0845-CPD-CX10017C
Reaction to fire	DK,MK GODKENDELSE	Godkendt
	D,DIBT AbZ.no.	Z-156.601-440
	CH,VKF/AEAI	Cfl-s1
	EN13501-1 euro class	Cfl-s1
	AU,ASISO 9239.1-2003	7,20 KW/m2
CE Labeling	Declaration of Performance	9711-17C
Indoor air	DIM Certifikat	No.006
	LEED	Green label plus
	BASTA	Registered

Product description	Methods	Product data
Environment	F,Emissions dans l'air intérieur	A+/A+
	BRE	ENP 434
	Byggvarudeklaration	BVD 3

Guides

Installation+adhensive guide	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
Cleaning, stain removal	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

Manufacturer

Factory certification	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	EMAS	Audited and verified by BVC
	OHSAS	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK